

002090 24268560

FIG. 2a




FIG. 2b

FIG. 2b is a perspective view of the elongated, curved member 12. The member 12 is shown in a wavy, curved profile. It features two cross-sectional regions, 11 and 13, which are indicated by dashed lines and labels. The member 12 is terminated at both ends by diamond-shaped components, labeled 32a and 32.

FIG. 2c





FIG. 2c is a perspective view of the device 12. The device is shown in a curved, S-shape. It has a central body 11 and a curved end 13. The end 13 is shown in a cross-sectional view, revealing a layered structure with a top layer 32a and a bottom layer 32. The device is shown in a curved, S-shape.

FIG. 2d

12

32a

32



5/23

FIG. 3b




FIG. 3c




FIG. 3d







FIG. 3e








FIG. 4a




FIG. 4b







FIG. 4c



000000 24268560




FIG. 5a




FIG. 5b





FIG. 5c


8/23

⁶
FIG. 4a




004090" 24268560

FIG. 6b




10/23

FIG. 6c




0589242-060700

6




12/23

6
FIG. 4e




00/0000" 24263560


FIG. 4f



6



6



↗




FIG. 3b






FIG. 3c




002090" 24268560


FIG. 5d



7



7



7.





FIG. 1h



004090" 24268560

09-06-2017





FIG. 8